Parts Manual for




21" PLATINUM SERIES
CAST ALUMINUM REAR
DISCHARGE
SELF-PROPELLED
WALK BEHIND
MOWER MODELS

SERIES 0

LP21550 LP21550V NLP21550V ELP21600 NLP21600 ELP21500KWV


ELP21550KWV

SNAPPER McDonough, GA., 30253 U.S.A.



#### ITEM PART NO. DESCRIPTION

|   | HEM | PART NO. | DESCRIPTION  |
|---|-----|----------|--|
| _ | 1   | 2-6422   | CONTROL, Blade   |
|   | 2   | 2-6389   | CONTROL, Traction  |
|   | 3   | 9-1645   | PIN, 5/16 x 1-7/16" Clevis   |
|   | 4   | 2-8789   | DECAL, Engine Speed (Without Choke)(EURO Briggs & Stratton Models)   |
|   |     | 2-8433   | DECAL, Engine Speed (Without Choke)                                  |
|   |     | 2-9822   | DECAL, Engine Speed (With Choke) (EURO Kawasaki Models)              |
|   | 5   | 2-8396   | KNOB, Throttle Control & 3-Speed Control (2)                         |
|   | 6   | 2-8436   | DECAL, OPC/SP Instruction  |
|   |     | 2-9824   | DECAL, OPC/SP Instruction (EURO Model ELP21500KWV)                   |
|   | 7   | 2-8431   | DECAL, Console   |
|   | 8   | 2-8435   | DECAL, 3-Speed Control   |
|   |     | 2-9823   | DECAL, 3-Speed Control (EURO Model ELP21500KWV)                      |
|   | 9   | 2-6426   | CONSOLE, Control   |
|   | 10  | 2-8398   | CONTROL ASSEMBLY, 3-Speed  |
|   | 11  | 9-1105   | SCREW, #10-16 x 1/2" Hex Washer Head, Self-Tapping (8)               |
|   | 12  | 9-1288   | SCREW, 1/4-20 x 2" Hex Washer Head, Self-Tapping (2)                 |
|   | 13A | 2-8883   | CABLE ASSEMBLY, Blade Control(EURO Kawasaki Models)                  |
|   | 13B | 2-8803   | CABLE ASSEMBLY, Blade Control  |
|   | 14  | 2-3153   | CLAMP, Throttle (3-Speed Control) (2)                                |
|   | 15  | 2-3154   | SCREW, #10-32 x 5/8" Slotted Hex Head, Self-Tapping (2)              |
|   | 16  | 3-5744   | KNOB, 5/16-18 Thread (2)   |
|   | 17  | 9-0391   | WASHER, 5/16 Internal Tooth Lock (2)                                 |
|   | 18  | 9-1646   | NUT, 5/16-18 Hex Nyloc (4)   |
|   | 19  | 2-6436   | CLAMP, Double Tube   |
|   | 20  | 1-1791   | RETAINER, 5/16 Bolt  |
|   | 21  | 3-4329   | BRACKET, Handle (2)  |
|   | 22  | 9-1189   | SCREW, 5/16-18 x 2" Curved Head (2)                                  |
|   | 23  | 7-6978   | NUT, 1/4-20 Hex Nyloc  |
|   | 24  | 7-9577   | SCREW, 1/4-20 x 1 1/2" Hex Head Cap, Grade 5                         |
|   | 25  | 2-2779   | GUIDE, Rope (2)  |
|   | 26  | 2-6219   | CLAMP, Cable (4)   |
|   | 27  | 3-4376   | BRACKET, Console (2)   |
|   | 28  | 2-4562   | CABLE, Traction  |
|   | 29  | 2-8397   | CONTROL, Throttle (Brigg's & Stratton Engine Without Choke)          |
|   | 30  | 2-8560   | ASSEMBLY, Throttle Control (Kawasaki Engine) (EURO Kawasaki Models)  |
|   | 31  | 2-8559   | CABLE, Throttle Control (Kawasaki Engine) (EURO Kawasaki Models)     |
|   | 32  | 9-0365   | COTTER-PIN, 1/8 x 3/4" (2)   |
|   |     | 90555    | COTTER-PIN, 3/32" x 1/2" (2) (LP21600, ELP21550KWV, ELP21600 Models) |
|   | 33  | 9-1076   | WASHER, Flat, .343 I.D. x .688 O.D. (6)                              |
|   | 34  | 3-3853   | HANDLE, Upper  |
|   | 35  | 2-6216   | GRIP, Foam   |
|   | 36  | 9-1644   | PIN, 5/16 x 1.71" Clevis   |
|   | 37  | 9-1244   | SCREW, M5 Thread, Hex Head Torx (EURO Model ELP21500KWV)             |
|   | 38  | 9-1296   | WASHER, 11/32" Flat (4)  |



# **DECK, WHEELS & DISCHARGE COMPONENTS**

| ITEM | PART NO. | DESCRIPTION   |
|------|----------|---|
| 1    | 5-2881   | ASSEMBLY, Discharge Door  |
| 2    | 9-1201   | SCREW, #10-24 x 1 1/2" Slotted, Hex Washer Head, Self-Tapping   |
| 3    | 4-6505   | COVER, Belt/Tie Bar   |
| 4    | 2-8443   | DECAL, Cover  |
| 5    | 9-1213   | SCREW, #10-24 x 1" Slotted, Hex Washer Head, Self-Tapping       |
| 6    | 6-1961   | DECK, 21" Cast Aluminum   |
| 7    | 9-1232   | PIN, Tie Bar, 3/8 x 5/8"  |
| 8    | 9-0324   | SCREW, 3/8-16 x 1" Hex Head, Self-Tapping (3)                   |
| 9    | 2-8440   | DECAL - WARNING (Deck)  |
|      | 2-2841   | DECAL - WARNING (Deck) (European Models Only)                   |
| 10   | 9-0365   | COTTER-PIN, 1/8 x 3/4"  |
| 11   | 2-4751   | SPRING, Tie Bar   |
| 12   | 4-1364   | ASSEMBLY, Tie Bar   |
| 13   | 2-8444   | LOGO, SNAPPER Platinum Series                                   |
| 14   | 2-4558   | BUSHING, Front Axle (2)   |
| 15   | 1-3946   | RETAINER, Wheel (2)   |
| 16A  | 3-4340   | SPRING, Axle Retaining (Left Side)                              |
| 16B  | 3-4341   | SPRING, Axle Retaining (Right Side)                             |
| 17   | 4-1344   | ASSEMBLY, Front Axle  |
| 18   | 1-6152   | HUB-CAP, Front Wheels (2)                                       |
| 19   | 9-1192   | WASHER, 1/2" Flat (4)   |
| 20   | 9-1193   | HAIRPIN, .062 x .900" (4)                                       |
| 21   | 2-8456   | ASSEMBLY, Wheels (Front) (2)                                    |
| 22   | 9-1075   | SCREW, #10-24 x 5/8" Slotted, Hex Washer Head, Self-Tapping (4) |
| 23   | 2-4595   | BAFFLE, Discharge   |
| 24   | 1-3010   | DECAL - DANGER  |
|      | 2-2841   | DECAL - DANGER (European Model ELP21500KWV)                     |
|      | 2-9784   | DECAL - DANGER (European Models ELP21550KWV, ELP21600)          |
| 25   | 3-3732   | SUPPORT, Rear Axle (2)  |
| 26   | 9-0362   | SCREW, 1/4-20 x 5/8" Hex Washer Head, Self-Tapping (6)          |
| 27   | 9-1214   | KEY, HP-506 Hi-Pro  |
|      | 1-0783   | KEY, HP-505 Hi-Pro (Kawasaki Models)                            |
| 28   | 1-5780   | PULLEY, Traction Drive (Briggs Engine)                          |
|      | 2-1764   | PULLEY, Traction Drive (Kawasaki, Engine)                       |
| 29   | 9-0201   | SCREW, 5/16-18 x 5/16" Hex. Socket Set                          |
| 30   | 7-6979   | NUT, 3/8-16 Hex Nyloc (2)                                       |
| 31   | 2-6631   | HUB, 25 mm Blade Drive  |
|      | 2-6630   | HUB, 7/8" Blade Drive (Kawasaki Models)                         |
| 32   | 2-6427   | BLADE, 21" Bagging (Shown)                                      |
|      | 2-6428   | BLADE, 21" Mulching/Bagging                                     |
| 33   | 7-9268   | WASHER, 3/8 Split Lock (Heavy)                                  |
| 34   | 9-0483   | SCREW, 3/8-24 x 1 3/4" Hex Head Cap, Grade 5                    |
| 35   | 9-0143   | BOLT, 3/8-16 x 1 1/4" Hex Flange Lock (2)                       |
| 36   | 2-4540   | HUB-CAP, Rear Wheels (2)  |
| 37   | 5-3508   | ASSEMBLY, Rear Drive Wheels (2) (Includes item 38)              |
| 38   | 2-4541   | BUSHING, Rear Wheel (2)   |
|      |          |   |

WHEELS, DECK & COMPONENTS Continued On Next Page

# WHEELS, DECK & COMPONENTS

| ITEM | PART NO.                     | DESCRIPTION  |
|------|------------------------------|--|
| 39   | 2-4750                       | BELT, Traction Drive   |
| 40   | 2-8438                       | DECAL, Height Adjustment                                       |
|      | 2-8454                       | DECAL, Height Adjustment (European Models)                     |
| 41   | 2-8442                       | DECAL, Deck (Right Side)                                       |
| 42   | 9-1892                       | PUSH-NUT, 1/4"   |
| 43   | 9-1191                       | RIVET, 3/16 x 1/2" Steel (2)                                   |
| 44   | 3-3752                       | PLATE, Height Adjustment                                       |
| 45   | 9-1238                       | BOLT, 5/16-18 x 1" Carriage, Gr. 5 (4)                         |
| 46   | 2-9470                       | DECAL, Patent Numbers  |
| 47   | 9-0055                       | WASHER, 1/4 Flat (2)   |
| 48   | 2-4753                       | SHIELD, Trailing   |
| 49   | 4-3808                       | ROD, Trailing Shield Pivot                                     |
| 50   | 2-8448                       | DECAL, Briggs & Stratton, 5.5HP Diamond-Plus I/C               |
|      | 2-8449                       | DECAL, Briggs & Stratton, 5.5HP Diamond-Plus I/C OHV           |
|      | 2-8917                       | DECAL, Briggs & Stratton, 6HP Diamond-Plus I/C (Shown)         |
| 51   | 2-8441                       | DECAL, "Exclusive Platinum Series", Briggs & Stratton Engine   |
| 52   | 2-8439                       | DECAL, Convertible Mower                                       |
| 53   | 2-6809                       | DECAL, - WARNING   |
|      | 2-9825                       | DECAL, - WARNING (European Models)                             |
| 54   | 2-9784                       | DECAL, Deck/Chute, International                               |
|      |                              | Warning (European Model ELP21500KWV)                           |
| 55   | 2-6877                       | DECAL, Kawasaki Engine (Starter)                               |
| 50   | 0.0070                       | (European Model ELP21500KWV)                                   |
| 56   | 2-6878                       | DECAL, Kawasaki Engine (OHV)                                   |
| 57   | 0.7400                       | (European Model ELP21500KWV)                                   |
| 37   | 2-7432                       | DECAL, Kawasaki Engine 5HP (OHV)                               |
| 58   | 2-9779                       | (European Model ELP21500KWV)                                   |
| 59   | 2-977 <del>9</del><br>2-9776 | DECAL, Spark Plug (European Model ELP21500KWV)                 |
| 60   | 2-3009                       | DECAL, European Community (European Models)                    |
| 61   | 4-3835                       | DECAL, Noise Control (European Models)                         |
| 62   | 4-3836                       | BRACKET, RH TS Pivot Rod BRACKET, LH TS Pivot Rod (Not Shown)  |
| 63   | 9-0362                       | SCREW, 1/4-20 x 5/8" Hex Washer HeadSelf-Tapping (2)           |
| 64   | 3-6434                       | DECAL, 1997 Year of Manufacture                                |
| 65   | 2-9082                       | DECAL, 5HP Overhead Valve (Kawasaki Models)                    |
| 66   | 4-6357                       | DECAL, Warning   |
|      | 4-03J <i>1</i>               | ENGINE, 5.5HP Briggs & Stratton I/C Diamond-Plus Model 129802, |
|      |                              | Type 1512, Trim 21   |
|      | **                           | ENGINE, 5.5HP Briggs & Stratton OHV Diamond-Plus Model 99772,  |
|      |                              | Type 3625, Trim 01   |
|      | **                           | ENGINE, 5HP Kawasaki OHV Model FC150V-ES12 (European           |
|      |                              | Model ELP21500KWV)   |
|      | **                           | ENGINE, 6HP Briggs & Stratton I/C Diamond-Plus Model 12J802    |
|      |                              | Type 1528, Trim 21 (European Models                            |
|      |                              | ELP21550KWV, ELP21600)   |
|      | **                           | ENGINE, 5.5HP Kawasaki (European)                              |
|      |                              |  |


#### **DISCHARGE COMPONENTS**


#### KITS AVAILABLE


Part No. Description
6-1396 KIT, Grass Catcher
6-1397 KIT, Side Discharge

Chute


6-1398 KIT, Mulching








| ITEM | PART NO. | DESCRIPTION  |
|------|----------|--|
| 1    | 2-8445   | GRASSBAG, Snapper Platinum Series                    |
| 2    | 5-3176   | ASSEMBLY, Catcher Frame (Includes item 3)            |
| 3    | 2-6421   | GRIP, Catcher Frame                                  |
| 4    | 2-6390   | PLUG, Mulching                                       |
| 5    | 2-6714   | CHUTE, Side Discharge (Includes item 24 from Page 5) |




### **AXLE/TRANSMISSION ASSEMBLY**

| _ | ITEM | PART NO. | DESCRIPTION   |
|---|------|----------|---|
|   | 1    | 5-3898   | AXLE/TRANSMISSION ASSEMBLY (Includes items 2 thru 23)     |
|   | 2    | 2-6231   | ASSEMBLY, Transmission                                    |
|   | 3    | 4-1363   | ASSEMBLY, Rear Axle Weldment                              |
|   | 4    | 2-4573   | SHIELD, Dust (2)  |
|   | 5    | 2-4749   | PIN, Pawl, 3/16 O.D. (2)                                  |
|   | 6    | 2-4549   | PINION, Right Hand Drive                                  |
|   | 7    | 2-4550   | PINION, Left Hand Drive                                   |
|   | 8    | 1-4341   | RING, Retaining (4)                                       |
|   | 9    | 9-1194   | WASHER, .531 I.D. x 1.50 O.D. (2)                         |
|   | 10   | 2-6478   | RETAINER, Pinion Seal (2)                                 |
|   | 11   | 2-6479   | SEAL, Pinion (Felt) (2)                                   |
|   | 12   | 2-5066   | ASSEMBLY, Bearing Carrier (2)                             |
|   | 13   | 2-4715   | BUSHING, Rear Axle (2)                                    |
|   | 14   | 2-4748   | TUBING, 5/8" I.D., Convoluted                             |
|   | 15   | 9-0361   | SCREW, 5/16-18 x 5/8" Hex Washer Head, Self-Tapping (2)   |
|   | 16   | 3-3768   | BRACKET, Transmission                                     |
|   | 17   | 9-1187   | NUT, M10-1.50 Hex Nyloc                                   |
|   | 18   | 2-4747   | PULLEY, Transmission                                      |
|   | . 19 | 2-4879   | WASHER, Felt  |
|   | 20   | 9-1084   | SCREW, 1/4-20 x 3/8" Hex Washer Head, Self-Tapping (4)    |
|   | 21   | 2-6420   | GRIP, Height Adjust Lever                                 |
|   | 22   | 6-1272   | KIT, Height Adjusting Lever (Includes items listed below) |
|   |      | 3-3967   | LEVER, Height Adjusting                                   |
|   |      | 9-1240   | SCREW, #10-32 x 5/8" Hex Washer Head, Grade 5 (2)         |
|   |      | 9-0376   | NUT, #10-32 Hex Nyloc (2)                                 |
|   | 23   | 2-6232   | SPRING, Transmission Extension                            |
|   |      | 4-3859   | SPRING, Transmission Extension (Short)                    |
|   |      |          | (Models LP21600, ELP21550KWV, ELP21600)                   |

#### **DECALS**








| ITEM | PART NO. | DESCRIPTION   |
|------|----------|---|
| 1    | 2-8789   | DECAL, Engine Speed (Without Choke) (European Briggs & Stratton Models) |
| 2    | 2-8433   | DECAL, Engine Speed (Without Choke)                                     |
| 3    | 2-9822   | DECAL, Engine Speed (With Choke) (European Kawasaki Models)             |
| 4    | 2-8436   | DECAL, OPC/SP Instruction   |
| 5    | 2-9824   | DECAL, OPC/SP Instruction (European Model ELP21500KWV)                  |
| 6    | 2-8431   | DECAL, Console  |
| 7.   | 2-8435   | DECAL, 3-Speed Control  |
| 8    | 2-9823   | DECAL, 3-Speed Control (European Model ELP21500KWV)                     |
| 9    | 2-8443   | DECAL, Cover  |
| 10   | 2-8440   | DECAL - WARNING (Deck)  |
| 11   | 2-2841   | DECAL - WARNING (Deck) (European Models Only)                           |
| 12   | 1-3010   | DECAL - DANGER  |
| 13   | 4-6357   | DECAL, Warning  |
| 14   | 2-9784   | DECAL - DANGER (European Models ELP21550KWV, ELP21600)                  |
| 15   | 2-8438   | DECAL, Height Adjustment  |
| 16   | 2-8454   | DECAL, Height Adjustment (European Models)                              |
| 17   | 2-8442   | DECAL, Deck (Right Side)  |
| 18   | 2-9470   | DECAL, Patent Numbers   |
| 19   | 2-8448   | DECAL, Briggs & Stratton, 5.5HP Diamond-Plus I/C                        |
| 20   | 2-8449   | DECAL, Briggs & Stratton, 5.5HP Diamond-Plus I/C OHV                    |
| 21   | 2-8917   | DECAL, Briggs & Stratton, 6HP Diamond-Plus I/C (Shown)                  |
| 22   | 2-8441   | DECAL, "Exclusive Platinum Series", Briggs & Stratton Engine            |
| 23   | 2-8439   | DECAL, Convertible Mower  |
| 24   | 2-6809   | DECAL, - WARNING  |
| 25   | 2-9825   | DECAL, - WARNING (European Models)                                      |
| 26   | 2-9784   | DECAL, Deck/Chute, International Warning (European Model ELP21500KWV)   |
| 27   | 2-6877   | DECAL, Kawasaki Engine (Starter) (European Model ELP21500KWV)           |
| 28   | 2-6878   | DECAL, Kawasaki Engine (OHV) (European Model ELP21500KWV)               |


(Continued on next page)


## **DECALS**














| ITEM | PART NO. | DESCRIPTION   |
|------|----------|---|
| 29   | 2-7432   | DECAL, Kawasaki Engine 5HP (OHV) (European Model ELP21500KWV) |
| 30   | 2-9779   | DECAL, Spark Plug (European Model ELP21500KWV)                |
| 31   | 2-9776   | DECAL, European Community (European Models)                   |
| 32   | 2-3009   | DECAL, Noise Control (European Models)                        |
| 33   | 3-6434   | DECAL, 1997 Year of Manufacture                               |
| 34   | 2-9082   | DECAL, 5HP Overhead Valve (Kawasaki Models)                   |



Parts Manual for

# SNAPPER®

21" PLATINUM SERIES
CAST ALUMINUM REAR
DISCHARGE
SELF-PROPELLED
WALK BEHIND
MOWER MODELS

SERIES 0

LP21550 LP21550V NLP21550V ELP21600 NLP21600 ELP21500KWV LP21600 ELP21550KWV ELP21600

IT IS THE POLICY OF SNAPPER TO IMPROVE ITS PRODUCTS WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS MANUFACTURED PREVIOUSLY.

SNAPPER McDonough, GA., 30253 U.S.A.